HOUSE BILL No. 4881

May 31, 1989, Introduced by Rep. Willis Bullard and referred to the Committee on Transportation.

A bill to amend section 612 of Act No. 300 of the Public Acts of 1949, entitled as amended

"Michigan vehicle code,"

as amended by Act No. 105 of the Public Acts of 1988, being section 257.612 of the Michigan Compiled Laws.

THE PEOPLE OF THE STATE OF MICHIGAN ENACT:

- 1 Section 1. Section 612 of Act No. 300 of the Public Acts of
- 2 1949, as amended by Act No. 105 of the Public Acts of 1988, being
- 3 section 257.612 of the Michigan Compiled Laws, is amended to read
- 4 as follows:
- 5 Sec. 612. (1) When traffic is controlled by traffic control
- 6 signals, not less than I signal shall be located over the trav-
- 7 eled portion of the roadway so as to give drivers a clear
- 8 indication of the right of way assignment from their normal
- 9 positions approaching the intersection. The vehicle signals

01133'89 KKG

- 1 shall exhibit different colored lights successively, 1 at a time,
- 2 or with arrows, . The following colors shall be used and the
- 3 terms and lights shall indicate and SHALL apply to drivers of
- 4 vehicles as follows:
- 5 (a) Green IF THE SIGNAL EXHIBITS A GREEN indication,
- 6 Vehicular VEHICULAR traffic facing the signal, except when
- 7 prohibited under section 664, may proceed straight through or
- 8 turn right or left unless a sign at that place prohibits either
- 9 turn. Vehicular traffic, including vehicles turning right or
- 10 left, shall yield the right of way to other vehicles and to
- 11 pedestrians lawfully within the intersection or an adjacent
- 12 crosswalk at the time the signal is exhibited.
- (b) Steady IF THE SIGNAL EXHIBITS A STEADY yellow
- 14 indication, Vehicular VEHICULAR traffic facing the signal
- 15 shall stop before entering the nearest crosswalk at the intersec-
- 16 tion or at a limit line when marked, but if the stop cannot be
- 17 made in safety, a vehicle may be driven cautiously through the
- 18 intersection.
- 19 (c) Steady IF THE SIGNAL EXHIBITS A STEADY red indication,
- 20 THE FOLLOWING SHALL APPLY:
- 21 (i) Vehicular traffic facing a steady red signal alone shall
- 22 stop before entering the crosswalk on the near side of the inter-
- 23 section or at a limit line when marked or, if -none, then THERE
- 24 IS NO CROSSWALK OR LIMIT LINE, before entering the intersection,
- 25 and shall remain standing until a green indication is shown,
- 26 except as provided in subparagraph (ii).

1 (ii) Vehicular traffic facing a steady red signal, after
2 stopping before entering the crosswalk on the near side of the
3 intersection or at a limit line when marked or, if none, then
4 THERE IS NO CROSSWALK OR LIMIT LINE, before entering the inter5 section, shall be privileged to MAY make a right turn from a
6 1-way or 2-way street into a 2-way street or into a 1-way street
7 carrying traffic in the direction of the right turn; or a left
8 turn from a 1-way or 2-way street into a 1-way roadway carrying
9 traffic in the direction of the left turn unless prohibited by
10 sign, signal, marking, light, or other traffic control device.
11 The vehicular traffic shall yield the right of way to pedestrians

12 lawfully within an adjacent crosswalk and to other traffic law-

13 fully using the intersection.

- (d) Steady IF THE SIGNAL EXHIBITS A STEADY green arrow

 15 indications. Vehicular INDICATION, VEHICULAR traffic facing

 16 -a THE green arrow signal, shown alone or in combination with

 17 another indication, may cautiously enter the intersection only to

 18 make the movement indicated by the arrow, or other movement per
 19 mitted by other indications shown at the same time. Vehicle

 20 THE VEHICULAR traffic shall yield the right of way to pedestrians

 21 lawfully within an adjacent crosswalk and to other traffic law
 22 fully using the intersection.
- (2) -(e) If a traffic control signal is erected and main24 tained at a place other than an intersection, the provisions of
 25 this section shall be applicable except as to those provisions
 26 which by their nature cannot have application. Any stop required
 27 shall be made at a sign or marking on the pavement indicating

- i where the stop shall be made, but, in the absence of a sign or 2 marking, the stop shall be made at the signal.
- 3 (3) $\frac{(2)}{(2)}$ A person who violates subsection (1) OR (2) is 4 responsible for a civil infraction.
- 5 (4) (3)— A driver of a vehicle who approaches a person 6 using a wheelchair or a device to aid the person to walk at a 7 crosswalk or any other pedestrian crossing shall take such pre-8 cautions as may be necessary to avoid accident or injury to the 9 person using the wheelchair or device. A person who violates 10 this subsection is guilty of a misdemeanor.
- (5) A SIGN PROHIBITING A TURN ON A RED SIGNAL AS PROVIDED IN 12 SUBSECTION (1)(C)(ii) SHALL BE LOCATED ABOVE OR ADJACENT TO THE 13 TRAFFIC CONTROL SIGNAL OR AS CLOSE AS POSSIBLE TO THE POINT WHERE 14 THE TURN IS MADE, OR AT BOTH LOCATIONS, SO THAT 1 OR MORE OF THE 15 SIGNS ARE VISIBLE TO A DRIVER INTENDING TO TURN, AT THE POINT 16 WHERE THE TURN IS MADE.