HOUSE BILL NO. 4252

February 16, 2021, Introduced by Reps. Sneller, Liberati, Ellison, Cherry, Clemente, Weiss and Scott and referred to the Committee on Transportation.

A bill to amend 1993 PA 354, entitled "Railroad code of 1993,"

by amending section 315 (MCL 462.315), as amended by 2012 PA 421.

THE PEOPLE OF THE STATE OF MICHIGAN ENACT:

- Sec. 315. (1) The department, by order, in accordance with section 301, may prescribe active traffic control devices to warn of the approach of trains about to cross a street or highway at public railroad grade crossings consisting of signals with signs,
- 5 circuitry, or crossing gates and other appurtenances as depicted in

JJR H00369'21

- 1 the Michigan manual of on uniform traffic control devices. A
- 2 determination shall must detail the number, type, and location of
- 3 signals with signs, circuitry, or gates and appurtenances, which,
- 4 however, shall that must conform as closely as possible with
- 5 generally recognized national standards.
- 6 (2) Except as otherwise provided for in this act, the cost of
- 7 any installation, alteration, or modernization of active traffic
- 8 control devices shall must be at equal expense of the railroad and
- 9 road authority.
- 10 (3) After initial installation, all active traffic control
- 11 devices, circuitry, and appurtenances at crossings shall must be
- 12 maintained, enhanced, renewed, and replaced by the railroad at its
- 13 own expense, except that the road authority shall pay \$1,271.00
- 14 \$1,455.00 for flashing signals on a single track, \$1,978.00
- 15 \$3,024.00 for flashing signals and gates on a single track,
- 16 \$1,481.00 \\$2,215.00 for flashing signals with cantilever arm on a
- 17 single track, \$2,389.00 \$3,389.00 for flashing signals with
- 18 cantilever arm with gates on a single track, \$2,257.00 \$3,595.00
- 19 for flashing signals and gates on multiple tracks, \$2,398.00
- 20 \$4,697.00 for flashing signals with cantilever arms and gates on a
- 21 multiple track, \$1,269.00 \$1,774.00 for flashing signals on a
- 22 multiple track, and \$1,375.00 \\$2,307.00 for flashing signals with
- 23 cantilever arms on a multiple track annually for maintenance to the
- 24 railroad for each crossing with active traffic control devices not
- 25 covered by existing or future railroad-road authority agreements.
- 26 The railroad shall furnish standard equipment uniform for all
- 27 railroads at a cost and installation basis consistent for all
- 28 railroads. By January 1, 2010 and every 10 years after 2010, the
- 29 department shall complete a study to determine the cost of

JJR H00369'21

- 1 maintenance of active traffic control devices and shall forward a
 2 copy of the study to the members of the house and senate committees
 3 that consider railroad legislation. The department shall consult
 4 with the railroad and the local road authority representatives when
 5 completing the study to determine the cost of maintenance of active
 6 traffic control devices.
- 7 (4) Standard active railroad-highway traffic control devices 8 consisting of side of street flashing light signals with or without 9 half-roadway gates and cantilevers shall must include the railroad 10 crossing (crossbuck) sign, "stop on red signal" sign, and number of 11 tracks sign located, designed, and maintained on the signal support 12 as prescribed by the Michigan manual of on uniform traffic control 13 devices. The railroad shall perform actual installation and 14 maintenance of these signs. The railroad shall also install, renew, 15 and maintain any signs placed on cantilevered signal supports. 16 Whenever If active traffic control devices are installed at any crossing, they shall those active traffic control devices must be 17 18 so arranged that for every train or switching movement over the 19 grade crossing, the active traffic control device shall be in 20 operation devices operate for a period of not less than 20 seconds or more than 60 seconds in advance of the train movement reaching 21 the nearest established curb line or highway shoulder and the 22 23 devices shall must continue to operate until the train movement has 24 passed the established curb line or shoulder on the far side of the 25 highway.
- (5) The department may order a railroad, at the railroad's
 expense, to stop and flag a crossing for normal train service or
 when active traffic control devices may become inoperable.